English Maslation of

PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2000-019943

(43)Date of publication of application; 21.01.2000

(51)IntCI.

608B 5/05

(21)Application number: 10-220994

(71)Applicant:

TATSUMI SHIGEZO

(22)Date of filing:

30.06.1998

(72)Inventor :

TATSUMI SHIGEZO

(54) DEVICE AND METHOD FOR LEARNING SUPPORT

(57)Abstract

PROBLEM TO BE SOLVED: To attain retional improvement of a learning method in which the learning period is made longer for the items having a higher degree of memory learning and the learning period is made shorter for the items having a lower degree of memory learning, in place of the conventional learning method that randomly repeats the objects to be memorized in the case of learning the objects to be memorized, SOLUTION: A learning object group x(n) from a learning object group x(1) is assigned to a learning schedule and learnings are conducted to momorize them. In the case of the learning support device and the learning support method, classifying group numbers, learning execution dates and the next review dates are set, the degree of learnings are classified into A B and C and corresponding rational learning periods are set to achieve a permanent

A THE STATE STREET, STATE OF THE PROPERTY OF THE STATE OF F 1 2 3 6 B F 7 5 BIDLICHALDSCRIPTION OF SEA 5 ed t = 9 t 2 t 4 did tittinis. of and this times in the state of the s IN TELECTOR OF BUILDING SECTION OF STREET STREET, STRE 1 2 8 c 5 6 7 4 anni 12 (4.1213) Transmission & 7 6 5 7 8 5 1 TES SERVED THE CONTRACTOR OF SERVED IN THE PROPERTY OF SERVED IN THE P

LEGAL STATUS

[Date of request for examination]

24.06.2005

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration)

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C): 1998,2003 Japan Patent Office

BEST AVAILABLE COP'

'06 02/02 17:13 FAX 03 3404 5748 JP,2000-019943.A [CLAIMS]

UNIVERSAL PATENT BUREAU

2008 1/1 ページ

* NOTICES *

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

1.This document has been translated by computer. So the translation may not reflect the original precisely.
2**** shows the word which can not be translated.
3.In the drawings, any words are not translated.

CLAIMS

[Cleim(e)]

[Claim 1] The input unit for inputting the judgment result of study extent to the candidate for study into the list for study. Or a display the whole study group by the ecreen or printing for [for study / which store a study result / storage and for study] — cach — Or according to the equipment and the study annual which carry out a voice output, it sets to the exchange equipment of study and review equipmed with the equipment having the function which carries out inverse substitution of the lapsed days between study days and months to the days and months which carry out four operations and correspond. The study extent judging of the group for study of a more than for [which sets a study day and is learned on that day / study] 1 study input for every candidate for study and the period to review of what has high study extent is set up for a long time. Study exchange equipment characterized by the thing which is study extent, and the period to review is short set up although it is low, and it has [a thing] a screen display and printing, or equipment that can carry out a voice output for the group for study of the study day on subsequent schedule study days.

[Claim 2] The study exchange approach of making proper selection as being alike to a study extent judging in the review scheduled day setting multiplior beforehend claesified and propored in two or more sorts in setting up a study day according to claim 1, and setting the review day, and having been made to carry out operation calculation in the study scheduled day next time based on the lapsed days from the last study Japan or the last review Japan for the same storage.

[Claim 3] .. is given, the candidate for storage stored in storage — the group for storage of first time study Japanese train R [0] — every schedule — the group number 1 and 2..x — Learn on a regular—intervals schedule as ..., and it contains, one by one — R[0] 1 and R[0] 2 ... R[0] x — It is R [2] about an R[1] 2nd review Japanese train in a review Japanese train cach of the next time. It attaches for defining the schedule of R[k] x, using a k—th review Japanese train as R [k]. Multiply by it and calculate a review scheduled day setting multiplier in the days of storage preservation [train / study Japanese] last time, and the schedule of the following train is decided based on claim 2, each candidate for storage inside R[k] x group — study extent — up and down — therefore — # of review frequency modification — the study exchange approach by the group control which a number was not assigned eccording to the individual at a certain time, but gave the group number of x**alpha, and was simplified to applicable group number affiliation train R [k**beta] as carried out automatic admission.

[Translation done.]

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely. 2,**** shows the word which can not be translated.
3.In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[Description of the Prior Art] the storage activity field — setting — the conventional store method ——less — that from which it becomes [only being recognized and] the basis that to only repeat is required at a central theme has finished with analysis curvilinear extent of the loss situation of storage by the EBINGU house memory curve. The fault which is the excitent to fall in the process to perform makes complicated the cord production activity which simple—substance—izes the candidate for storage, the card arrangement activity under study, etc. very much for dead works other than original memory learning by the handwriting approaches, such as recombination at the time of recombination for [according to study extent with a natural thing] storage being frequently needed, or being unable to do by the activation as a schedule ruining many environments. And it is the cause which suffers a setback as a result.

[Problem(s) to be Solved by the Invention] By making the software which can learn this fault while grasping a storage condition to *******. it is that which it finished cetting up so that the etorage purpose might be completed, and when this invention also includes the voice output in linguistic study etc., it is next to impossible by the conventional handwriting approach. The candidate for study is arranged according to a storage condition, and as for this invention, free nature is given to this modification, although derengement will often be caused if it is not that study and review can be performed and that modification of a plan can carry out simply at any time. For example, it sew from the lapsed days to review this time from the last study day, and if etorage was attached to what is held at brainc, next study was made more rational [choosing the progress schedule of the one or more multiples, i.e., setting up only from the first time also on the basis of the days from the last time of each time,]. Moreover, it is the calculation approach which multiplied by 1 or less than one figure the same days or for contracting, enabled it to correct the days by next time when inadequate in another side storage, and includes this review day setting multiplier defined beforehand. The review day of each study item is set to day by day [study], and it is what software-ized this, it introduces into a personal computer, study is what made possible coincidence not only of character expression but a voice output, and there is no attempt conventionally. The review day for storage if attached to calculating — the number (x) last time the contents table for storage. and for flesh-side (X+ and -) storage — study activation day (Z) study and relevance — the day (S') study activation (day S) etorage maintenance (days H) study extent Judging (V-ABC-) Review day setting multiplier (K-abc...k-and K) After needing, and the review scheduled day's being automatically calculated by the display after [etudy] next time (HxK) and converting into applicable days and months, it contains as a review relevance day (Y) next time. Next, when continuing study by the case where the candidate for storage is plurality, initial storage is performed on a regular-intervals schedule (P), and order of e echedule will become easy if review is also arranged to coincidence on the same day. In this case, if the above-mentioned H considers as the integral multiple of P, a study day will be decided and it will be easy to manage it. Namely, by making an individual jersey number into a group number, while carrying out group management, if are attached to what has low study extent, and it removes from a group and is made to be included in other proper groups, it should be able to simplify more. Moreover, the derangement which often takes place is the case where it is not able to learn on the planned schedule. When it passes over a schedule temporarily. the thing of the review scheduled day till then is outputted and learned, and while enabling it to rearrange on a new schedule, it must be made to make a change easy also about the thing of the initial storage planned by then, it carries out to any - the admission recombination for the storage according to individual in a group also makes it easy using the calculation formula containing the review day setting multiplier which carried out grouping of the object first, gave the package group number. subsequently to a study day, carried out array order of the initial study / review study es ... the 2nd troin the 1st train the 0th train, respectively, and fixed beforehand as a multiplier of a review scheduled-day setup on schedule [each / the / successiveinstallation]. Although free or more I loss than one value is sufficient, if the review day setting multiplier of the calculation formula is made and it shall be processed on an integer schedule so that initial study and a review day may not become a gore gore, it will be simplified more.

[Means for Solving the Problem] Although display the condidate for storage on a screen first, this is classified, it assigns a schedule and a receipt address is given, in that case, discernment does not give a jersey number separately, but gives and elmplifies a group number. When activation days and months are displayed and a next review day to set at the same time it carries out memory learning of the object of the day, a natural review train will be given. It starts for review first and decides on the review scheduled day next time on a memory learning activation day according to extent of storage. The ABC classification of storage extent is carried out, and the schedule review day calculated by review day setting multiplier abc..k set up as a suitable selector is overwritten and saved in the convention location for storage at it. Although the schedule review Japanese

train will assume the days in which storage maintenance is possible from the days from the last memory learning day to a review study day on the day, abc..k is convenient if it sets beforehand as a multiplier for the review scheduled day calculation, Therefore, in the first stage, study specing is to a base. If it is a week schedule, the basic number character 1 is given to one week. Although there are also complicated elements, such as a person's in question anamnesis and effect of the other turget difficulty and superposition storage, a review day, i.e., eye the 2nd train, is made to usually match the next study day for initial storage as a= 1 with storage extent A the first stage. Although it is an ideal that the address in each will branch according to study extent after it on the principle of an object group giving and containing a need element at the upper address which ±±(ed) one time and gave the group number, it is more convenient to include for any of an arrangement top group being, that Is, although b= 1.5 is sufficient if it is as a day of only review when the number of a=1b=2 or study spacing is even, make it any --- a multiplior shall be fixed beforehend as in that case K ·-- cooh time — a student ·-- setting up — free — a multiplier -- ****** — you may leave . Although there must naturally be the need for the affiliation group recombination for storage each time, if study extent avoids in general, it belongs to the original group, and others can be simplified by being included in subsequent groups' number instead of making a new group. That is, by the 1st review, when storage extent is bad, you may be included in the candidate for storage of the next day, but when generated on the schedule of the arbitration after it, with the treatment, the same frequency as the first stage will be repeated henceforth, it is irrational, and it is included in x+alpha (or -alpha) etc. Instead of giving a multiplier sultable for it. make it any — each train will multiply the days from the study day of a train by the scheduled day setting multiplier last time, and will plan a review day noxt time.

[Example] the group number 1 which consists of each study item the candidate for study which was stored in storage in the case of for [two or more] storage — the group of n — classifying — a study day — from the 1st time by the n-th time — assigning — day by day [study] — a sequential display — or, although review of the 1st day will usually be carried out in carrying out a voice output and learning at the 2nd day Supposing it carries out by the geometrical series of r= 2 after that, it will become like drawing 1 , this — arranging — the drawing 2 , then 1st train R [0] — eye the 2nd train for [new] storage R [1] — the 3rd train R of the candidate for the 1st review [2] — the 2nd candidate for review - - sequential order is carried out with ... having group number n up to - it can review by the same frequency and is very rational, however, a card classification and its arrangement box proper for performing this, if a voice output is also performed temporarily While the equipment which can carry out [short story]-izing is indispensable and considerable derengement follows on those handling, the need for recombination including the judgment of study extent arises. For example, there is often the need of including the thing which has study extent low in for [in the group of the group number !] storage, i.e., the thing which is not memorized, in the group of the group number 2 moreover, disp [since there is also a Japanese national hollday even if it is based on study every day in that case, although it will become simpler, if it will carry out on the same spacing schedule also with a study plan day, and other environments rule over, it cannot perform in many cases, and / further / various elements / effect / of the difficulty for storage, and a storage superposition situation / slag and 1 🕶] in many cases . Therefore, as what has free nature with processing of an abovementioned statement of principles, this invention needs to consider an ert. Supposing the candidate for storage of the group of 12345 is now learned for for [every] 1 round, it will become like drawing 3 . That is, although arranged [eye / 1st ++++* 2 train] with review of the 1st initial storage, and the 2nd review one by one like the above, the review poriod in the meantime should also often have the need that may choose study frequency freely and moreover the part in the group dissociates according to the terms and conditions for storage. That is, although selection of the review scheduled day multiplier for deducing a study schedule to the storage maintenance days from last time noxt time must be first defined in setting up each train as an element, in short, it serves as a multiplier of a days setup for [between each train] storage. That is, in the case of this example. the student made the regular-intervals schedule unit seven days, the study schedule multiplier 1 with the same 2nd review train is chosen from initial storege, but the 3rd review R [3] has adopted 2. Although In other words it is important whether that from which it separates from a group in the meantime is included in the thing of the multiplier of what time throat each time, or into which group of ***** it puts, since it is simplified, only 1 adds a jorsey number and being included in a next group etc. is sufficient. Therefore, if the procedure which makes autometic selection with a personal computer is shown, the candidate for storage by which the group division classification was carried out beforehand on the OPEN-first day will be inputted. Memory learning is carried out. The study echeduled day apacing unit P as a group of this Is defined. If it is every day, P is set to 1, and P Is set to 7 if it is a week schedule. listen, if it is the former - although each specifies the multiplier of a= 1 after one work if it is the review day latter about ***** — the latter the way — supposing it only reviews for example, what day of the week or three days after, it can register as 3/7=0,43=b, and can also place, anyway, review scheduled day setting multiplier a-b attached to calculating from the maintenance days H — although .. is chosen and a review train is prepared in the next step, in this example, the same ic caid of eye the 3rd train as a frequency factor a= 1, and eye the 4th train is set to b= 2. Namely, X(affiliation group number) P(study schedule spacing) S'(study relevance days and months) X+ and -(table for storage. and flesh side) Z(last study activation day) S(study activation day) R (affiliation train)

VABC(ctudy extant judging) H(maintenance days) Kabe—h and K(review scheduled day setting multiplier) Y (review setting relevance day) etc. — if it sets — one indispensable to a display as a result — XxS'SZY ****** is displayed by R[]. When it separates from the group for [each] etorage, each jereoy number may set to 1–1, this may be seved, but in order to form single *+*. X is usually included in the group of x+1 grade others. If Y0: is illustrated as review study and the output sign of the thing of initial storage and Y1; are illustrated in addition as a receipt sign () Initial procedure of study I study preparation OPEN: P:

Schedule spacing The group division of the candidate for storage is carried out. X+: X-: x swing rates May set I **** or at every 1->x->n An account Input ***** (voice and screen). S': Study scheduled day S: [Study activation every day] K: Review day scheduled multiplier o= b= o= ... Selection RO study procedure ** Y0(new study sign):*** S' of K of each train in the case of this object: Date Input X+:X-: Table flesh-side input for storage x: Group number

*** Garry out an after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the study sign after I study 1 V:ARC indicates the s

** Carry out an after [study] V:ABC judging and it is abc, respectively. It is abbreviation A (S: change receipt and others to x, a memorizing judging, x+1, and it is the review procedure (the 2nd day of the study or subsequent ones precedure) of Rotautomatio

'06 02/02 17:15 FAX 03 3404 5748 UNIVERSAL PATENT BUREAU JP.2000-019943.A [DETAILED DESCRIPTION]

2011 3/3 ページ

input ** END(II) after that) about an input.

b) Review procedure (2nd henceforth)

Y1(review sign):## X+:X-: even if it responds to study extent ABC with each output of x of the review scheduled day of the day with the group number of x — Ab: -- x of a basis -- selection (x+or-alpha) of receipt Aa:x-1 Babc...k (Namely, setting to the Ruhr, for example, Be, appointed beforehand x+1 receipt)

C: abc-k in addition to this Selection **END of K (it is automatic receipt to an applicable part)

b) When it is not able to learn on a planned study day, the review group object by the day of which the ## Y1(review sign). ***

**Explan was done is displayed.

B which carries out an ABC classification: C : (it is the same as a front)

** Y0 : The [0008] as the above [same]

[Effect of the Invention] About that by which cancels the trouble of card-izing by note, preservation trouble, and recombination trouble taking advantage of the preservation capacity of a personal computer, and preservation days count copacity and the conversion capacity to the days and months of that fully so that an array until it carries out the full storage of all the candidates for storage may fully be made, and voice is accompanied like linguistic conversation practice, it was next to impossible by the conventional approach. With personal capability, it is also possible to also change the frequency kept away for storage again the degree of capital, to also constant—ize, and to set the degree of capital, and the last retentive—memory date can also be changed at any time. Therefore, it is utilizable also for plan—ization of the advertisement activities to many and unspecified persons which should be called all storage indispensable types of industry and compulsive storage by making the educational world into a subject. [0009]

[Translation done.]

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.

2.**** shows the word which can not be translated.

3.In the drawings, any words are not translated,

DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1] The initial order table showing a principle

[Drawing 2] The conversion table for carrying out order activation [Drawing 3] The order table of the example at the time of learning by 1 time of frequency for a week

[Drawing 4] Drawing showing the display screen

[0010]

[Description of Notations]

x Group number (Jersey number) P Study schedule spacing S' Study relevance days and months

X+ and - Table flash side for storage x Group number Z last time study ectivation day S study ectivation day R Affiliation train V-ABO- Study extent judging H Maintenance days K (ABC-k) review scheduled day setup Multiplier Y Review setting relevance day

YO : Now study output eign

Y1: Review output sign

P: Schedule spacing input cign

X: Candidate for storage x Group number

S: Initial-study-relevance-day-input into a group number.

Z: Study activation date input

K: a= b= c= Input

V: Each ABC judging is attained to abc..k and it is K input.

Y: A review setting day automatic input and an R input

[Translation done.]

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely. Z***** shows the word which can not be translated.

3. In the drawings, any words are not translated.

```
DRAWINGS
[Drawing 1]
= 1 2 3 4 5 8 7 8 910111213141518171819202122232425262728293031323334426
R 1 Z 3 4 5 B 7 B 0101112131415161718192021222924252027282930 1 2 3 4 5
曜月火水木金 (:口月火水水仓土日月火水水仓土日月火水木仓土日月火水水仓土日
              .1
    22 2
                                                            2
                                 3
[Drawing 2] × 1 2 3 4 5 6 7 $ 91011131314151917161920212223242320272523303132333435
H 1 2 3 4 5 K 7 8 9101112191416161718192031323324252027262990 1 2 3 4 5
图月火水水金土日月火水水金土日月火水水金土日月火水水金土日月火水木金土日
RO 1 2 3 4 5 6 7 8 810111213141516171819202122232A252D272820203132323436
    1 2 3 4 5 6 7 6 910111213141516171818202122232425282728283031223234
       1 2 3 4 5 6 7 8 91011131415161718102021222324252627282830313233
              1 2 3 4 5 6 7 8 810111213141518171819202122232425262728
(Drawing 3)
H I 2 7 4 5 6 7 6 910:112191915101716192021222329252027282830 1 Z 3 4 5
昭月大木木会土口月大水水全土口月大木木会 七口月大 木木会工日月火水木会土口
80
                . 2
                              2
                                            ą
RI
                  1
                               2
                                           3
                                                         4
                               1
                                            2
                                                        3
R3
                                                         1
[Orawing 4]
                            孕星步定日 孕贺尖行口
                 BOOK
                             4/17
                                        4/17
                                                     в
```

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely. 2**** chows the word which can not be translated. 3.In the drawings, any words are not translated.

CORRECTION OR AMENDMENT

[Kind of official gazotta] Printing of amendment by the convention of 2 of Article 17 of Patent Law [Section partition] The 2nd partition of the 6th section [Publication date] October 20, Heisei 17 (2005, 10.20)

[Publication No.] JP,2000-19943_A (P2000-19943A) [Dete of Publication] January 21, Hoisei 12 (2000, 1.21) [Application number] Japanese Patent Application No. 10–220994 [The 7th edition of International Patent Classification]

G09B 5/06

FIJ

609B 5/06

[Procedure revision] [Filing Date] June 24, Heisel 17 (2005, 6.24) [Procedure amendment 1] [Document to be Amended] Specification [Item(s) to be Amended] Claim [Method of Amendment] Modification The contents of amendment) [Claim(s)]

[Claim 1]

The input unit which inputs the judgment result of study extent to the candidate for study for study, the storage which stores the Judgment result for [said] study, and said candidate for study --- each — or by the screen or printing with a display or the output unit which carries out a voice output for every study group which classified the candidate for study for every study Item the arithmetic unit which carries out inverse substitution of the lapsed days between study days and months to the days and months which carry out four operations and correspond according to study annual — since — the constituted study exchange equipment — it is

A study day setting means to set a study day.

A study extent judging input means to input the study extent judging of the group for study of a more than for [which is learned on said study day] 1 study for every candidate for study.

It is a study scheduled day setting means the next time which sets up the period by the study scheduled day the next time roviowed according to the level of said study extent

An output means to output to the subsequent study scheduled day in order to tell the group for study of the study day. Study exchange equipment characterized by providing

A study scheduled day setting means is study exchange equipment eccording to claim 1 characterized by choosing the next atudy scheduled day setting multiplier of the arbitration set up according to the level of study extent, multiplying lapsed days by this from the last study day, and carrying out operation calculation of the study achedulod day next time said next time. [Claim 3]

k-th study scheduled day train R [k] which is said study group x it is the study exchange approach based on x. next study scheduled day successive installation of the arbitration set up according to the level of study extent — a law — the study echeduled day train decision step which chooses a multiplier, multiplies lapsed days by this from the last study day, and carries out operation calculation of the study scheduled day train next time,

Said R [k] Step which generates new group number x**alpha and new study scheduled day train R [k**beta] x**alpha for [which the level difference concerned produced] study when a level difference arises in study extent for [of \times / each] study. since — the study exchange approach characterized by being constituted. [Procedure emendment 2]

[Document to be Amended] Specification [Item(s) to be Amended] 0007

[Method of Amendment] Modification

The contents of amendment [(000]

[Example]

They are two or more candidates for storage Group number 1-2-3 ... It classifies into the group of n and a study day is assigned by the n-th time from the 1st time, in the form of X+ and X-, and Xe, i.e., a table, a flech cide, and voice, the contents for storage

are driven in and each of the candidate for storage is contained. In defining the schedule from study initiation, the schedule spacing P is decided first. That is, if it is P= 1 and is P= 7 every day, it will learn every 7th day, the schedule of now P=1 · · · a group number — assigning — day by day [study] — a sequential display — or — although it is attached to corrying out a voice output and learning and raview of the 1st day will usually be carried out at the 2nd day supposing it carries out by the geometrical series of common-ratio =2 after that — drawing 1 — like — becoming — this — arranging ··· the drawing 2, then 1st train R [0] — the 2nd train R for [new] storage [1] -- the 3rd train R of the candidate for the 1st review [2] -- the 2nd candidate for review — sequential order is carried out with ..., each group can be reviewed by the frequency same to the group number n, and it is very rational. However, it is while a card classification and its arrangement box proper for performing this, and the equipment which can carry out [short story ****]-Izing are indispensable and considerable derangement follows on those handling, if a voice output is also performed temporarily. It is [3rd train / R] about the low thing B which the need for recombination will srice if ctudy extent is judged, for example, is study extent in for [in the group of the group number 1] storage or the thing C which is not memorized, V-B, or C [3].

When are discovered, and included in the group of the group number 5, it will be reviewed again on April 12 ofter the same frequency, i.e., four days, morcover, disp [there is also a day of trouble, and it cannot perform in many cases, and / various elements such as effect of the difficulty for storage, and a storage superposition situation, / uniformity) slag and further often if it will carry out on the same spacing schedule also with a study plan day, although it will become simpler, even if it is based on study in that case every day. Therefore, as what has free nature with processing of an above-mentioned statement of principles, this invention needs to consider an art. Although the meaning of a computer activity is here, supposing the candidate for storage of the group of 12345 is learned now weekly, it will become like drawing 3. That is, although arranged [eye / 1st ***** 2 train] with review of the 1st initial storage, and the 2nd review one by one like the above, a review period in the manntime is the terms and conditions for storage. There is also often the need that may choose study frequency freely and moreover the part in the group dissociates by V Judging. That is, although selection of the review scheduled day multiplier for deducing a study schedule to the storage maintenance days from lest time next time must be first defined in setting up each train as an element, in short, it serves as a days setup of ****** of each train from the front row, and serves as selection of the multiplier for it. That is, in the case of this example, the student made the regular-intervals schedule unit P coven days, initial storage to the 2nd review train chose the same study schedule multiplier K (a= 1), and the 3rd review R [3] has adopted K (b= 2) for it. That from which it separates from a group in the meantime is a thing of the multiplier of what time throat each time. Although it is **** which the storage maintenance days H are enew multiplied by the review achedule multiplier K from second from last time since it is V-A till last time, and is changed to the group number for storage of the applicable day although in other words it is important whether it includes or into which group of ***** it puts, the procedure is simplified and it is sufficient to be included in the neighboring group number of the day of the existing train, i.e., the train of an one-step high order, etc. In the case of the phenomenon in R [1], this can take a measure by modification of x+1 temporarily now, but if it changes to the group number of the day of train [of the high order] R [r-1] in or subsequent ones R[2] R [r], it can review again by the same frequency. That is, in a setup of R, it is about drawing 1.

At R [0], it is P= 1 and H= 0.

At R [1], it is reliance about the next study day.

At R [2], it is P= 1 and H=1xK(b= 2) =2. At R [3], it is P= 1 and H=2xK(b= 2) =4.

while forming the train to R [n], the group number which belongs to each train is included in each achedule, and make it a child with a personal computer, or make it input manually or make it any — It is convenient when replacing a group number menually. if R [r] is displayed on each candidate for storage as a jersey number of the affiliation group number x. Furthermore, each for storage carries out sequential receipt so X+ and X-, and X3, and it enables it to call it from any sequence. That is, after [A] calling and learning the candidate for study of the day under the date and carrying out self-valuation of judgment V-ABC of the storage extent BC is made to give the opportunity of review again by the group number x of the day of row number R[r-1] R[rn) of each high order, or choosing x**ralpha further and carrying out an admission substitute with automatic or hand control at it In general as it is, If drawing 3 shows a procedure again

(1) OPEN: study preparation

1) Input the candidate for storage by which the group division classification was carried out beforehand on the first day in order of X+ and X-, and Xs.

2) Define a study initiation schedule and distribute to a schedule the group number which defined and carried out the group division of the study schedule spacing unit P about R [0]. It becomes the week schedule reason P= 7.

3) although the study scheduled day is made into a study day one week after, i.e., immediately after, about R [1], if only review is registered on the 3rd day of the way and it will simplify integrally, in order to make a study day and a review day in agreement, although it can also register as 3/7=0.43=6 — b=2c=3 — what is necessary is just to make it ... anyway — from the maintenance days H -- colculating -- review scheduled day setting multiplier a-b _ is chosen and a review train is prepared in the next step. In this train, the same is said of eye the 3rd train as a review schedule multiplier K (a= 1), and it is 4th train referred to [R] as b= 2 [3]. That is, if x(affiliation group number) P(study schedule spacing) XT, "Xs(table for storage, flesh-side, and voice) R (affiliation train) V-ABC(study extent judging) H (maintenance days), etc. are defined, the thing which is the need will make this at a display the jersey number for [each] storage by x and R as a result.

(2) STUDY: study

b) From the date of the day, call R [0] in order of the arbitration of X+ and X-, and Xs, and it carries out memory learning. b) In A judging it remains as it is in general in calling, reviewing and carrying out a V-ABC Judging in the sequence as which Xand X-, and Xs determined the candidate for review of the day one by one, and rearranging a group number by x≠*alpha, respectively. Although it can review by the repeat from the maintenance days before that further in the same frequency again if it is alike, it carries out and it makes to carry out an admission substitute into a criterion from each jercey number at the group number x of the day of R [r-1] in B judging and case [of C judging] R [r-2] is the same and it rearranges for the group number of the day, in addition, free nature is given to the x, and it is good also as **alpha. (3)END

[Procedure amendment 3]

[Document to be Amended] Specification [Item(s) to be Amended] 0009 [Method of Amendment] Modification (The contents of amendment) [0009] [Brief Description of the Drawings] [Drawing 1] The initial order table showing a principle [Drawing 2] The conversion table for carrying out order activation [Drawing 3] The order table of the example at the time of learning by 1 time of frequency for a week (Procedure amendment 4) [Dacument to be Amonded] Specification [Item(s) to be Amended] 0010 [Method of Amendment] Modification [The contents of amendment] [0010] [Description of Notations] x Group number P Study schedule spacing X+ and - Table flesh side for storage Xs_Voice output R [0] Initial study train R [r..n] From the r-th time to the n-th review train V-ABC Study extent judging H Storage maintenance days K (abc..k) Review scheduled day setting multiplier [Procedure emendment 5] [Document to be Amended] DRAWINGS [Item(s) to be Amended] drawing 4 [Method of Amendment] Deletion [The contents of amendment]

[Translation done.]

Pror Art

(19)日本国特許庁(JP)

(12) 公開特許公報(A)

(11)特許出屬公開番号 特開2000-19943 (P2000-19943A)

(43)公開日 平成12年1月21日(2000.1.21)

(51) Int.CL7

被別配丹

ΡI

G09B 5/06

G09B 5/06

2C028

李を辞录 米清承 部永項の数3 冉而 (全 6 日)

(21)出願番号

特顯平10-220994

(22)出旗日

平成10年6月30日(1998.6.30)

(71)出职人 591235256

巽 戊庭

未良県东良市朝日町2丁目33-6

(72) 発明者 異 茂龍

奈良市朝日町2丁日33の6

Fターム(参考) 20028 BB05 B806 BB08 BC02 BD02

(54) [発明の名称] 学習支援基置お上び学習支援方法

(57)【要約】

【目的】 包包対象を学習するについて、従来の無作意な疑り返し学習方法に代えるに、記憶学習程度の高いものに付いては学習期間を長くし、低いものについては短くする事による学者方法の合理的改善を目的としたソフトの開発である。

【構成】 学習対象群×(1)より×(n)を学習日程に振り分けて、そのそれぞれを学習して記憶する場合、その分類群番号と学習美行日お上び次回復習学習日を設けてその学習程度をABC分類してそれに応じて学習期間を設定し、合理的な日程計画をたてて水久記憶まで学習出来るようにした学習支援装置および学習支援方法。

(2)

特昭2000 19943

【特許請求の範囲】

【請求項1】 学習対象並びに学習対象に対する学習程度の判定結果を入力するための人力装置、学習対象を得ったあるいは学習群でとに画面または印刷により表示、または音声出力する装置なよび学習年次に合わせて学習月日間の経過日数を加減乗除し該当する月日に逆面換する機能を、併せ持つ装置を備えた、学習、復習の支援装置において、学習日を定めて、その学習日に学習する1学習対象以上の学習対象群の学習程度制定を、学習対象ととに入力し、学習程度の高いものの復習までの期間を担く設定し、学習程度の低いものの復習までの期間を担く設定し、以降の下定学習日に、その学習日の学習対象群を両面表示及び印刷または音声出力するように出来る変置を備えることを特徴とする学習文援装置。

٦

【請求項2】 請求項1に記載の学習日を設定し、その 復出日を定めるにあたっては、予め2 秤以上に分類して 設けた復習予定日設定係数を学習程度判定にによって適 正選択し、同一記憶対象の前回の学習日もしくは復習日 からの経過日数に基づいて次回学習予定日を演算算定す 20 るようにした学習又援力法。

【請求項3】 記憶装置に記憶させた記憶対象を、初向学習用列R [0]の記憶対象群に日程母に撰書刊1、2・・×・・を与え、順次R [0]1、R [0]2・・・R [0]x・・・として等間隔日程で学習して収納し、そのそれぞれの次回復習日列をR [1]第2回後習日列をR [2]・・ 京 k 回復習日列をR [k]としてR [k] xの日程を定めるについて、前回学習日列よりの記憶保存の日数に復習予定日設定係数を乗じて演算して次列の日程を請求項2に基づいて確定し、R [k] x 群 30の内部の個々の記憶対象を、学習程度の上下によって復習頻度変更の要ある時は、何別に番号付けを行わずx± 4の群番号を与えてその該当群番号所属列R [k±8]に自動編入するようにして、簡素化した群管理による学習文技方法。

【発明の詳細な説明】

[0001]

【産業上の利用分野】本発明は群番号を与えた記憶対象を復習するについて、例えば日程を等比級数の公比での級数で=2の配列とすると、記憶当日、翌日、翌辺翌日・・・即ち2日、4日、8日・・と復習頻度を遠ざけてやがて永久記憶までの日程で計画的に行うことが出来れば格段に合理化できるが、これを大量に促乱なく実施できるように試みたもので、数育分野の改良としてばかりてなく強制記憶ともいうべき宣伝活動及びその他会社経営の管理活動等活用範囲は広い。

[0002]

【従来の技術】記憶活用分野において従来記憶方法が無 作念で、単化誤り返す事が必要であることが認識されて いるのみで、その根拠となるものはエピングハウス記憶 50 つにしなければならない。いずれにしろ先ず対象をグル

田線によって記憶の喪失状況の分析田線程度に終わっている。実行する過程で最も陥り易い欠点は、当然のことながら、学習程度による記憶対象の組替えが頻繁に必要となり、あるいは日程通りの実行が語環境に災いされて出来なかった場合の組替え等、手書き方法では記憶対象を単体化するカード作製作業及び学習中のカード整理作業等。 不来の記憶学習以外の準備作業のため頗る煩雑化する。そして結果的に挫折する原因となっている。

[0004] 【発明が解決しようとする課題】本発明はこの大点を補 つて常に記憶状態を把握しながら学習出来るソフトを作 ることによって、記憶目的を完速するよう組み上げたも ので、且つ語学学習等の場合の音声出力も含めると従来 の子書き方法では不可能に近い、記憶状態に応じて学習 対象を整理し、学習及び復習が出来ること、また計画の 変更が随時間易に行い得ることでないと混乱をしばしば 引き起こすことになるが、本発明はこの変更に自由性を もたせたものである。例えば前回の学習日から今回復習 までの経過日数から見て、記憶が頭脳に保持されている ものに付いては、次回の学習はその1以上の倍数の経過 日程を選択するとと、即ち初回からだけでなくその都皮 の可回からの日数をも基準として設定することがより合 **蝌的であるとした。また他方記憶不十分の時は次回まで** の日数を同一日数か、または縮めるための1または1未 禍の数字を乗じて修正出来るようにし、この予め定めら れた復習日設定係数を含めた算定力法で、学習日母にそ れぞれの学習項目の復習日を定め、これをソフト化した もので、パソコンに導入して学習は文字表現だけでな く、音声出力も同時可能にしたもので、従来その試みは 皆無である。記憶対象の復習日を算定するに付いては記 恒対象内容表・泵(X+および-)記憶対象の番号 (x)前回学習実行日(Z)学習,該当日(S')学習 実行日(S)記憶保持日数(II)学習程度判定(V - A BC··) 復習日設定係数 (K-abc···k-an d K) を必要としその表示により学習後次回復哲学 定日が自動的に計算され(H×K)該当月日に換算した うえ次回復胃該当日(Y)として収納する。次に記憶対 象が複数の場合で学習を連続する場合、初期記憶を等間 隔日程(P)で行い、同時に復習も同一日に配列するよ うにすれば計画表の整頓が容易になる。との場合上記の IIはPの整数倍とすると学習日が確定されて管理し場 い。即ち個別背番号を群番号としてグループ管理すると ともに、字習程度の低いものに付いては群から外して他 の道正群に編入するようにすればより簡素化出来るはず である。またしばしば起とる混乱は予定された日程で学 習できなかった場合である。仮に日程を過ぎた場合に は、それまでの復習予定日のものを出力して学習し、新 日程に組替えを行えるようにするとともにそれまでに計 画した初期記憶のものについても変更を容易に出来るよ

(3)

特問2000 - 19943

・プ化して一括群番号をつけ、次いで学習日に初期学習・復習学習そそれぞれ第0列、第1列、第2列・・・として配列整頓し、その名列設定時に復習予定日設定の係 独としてあらかじめ固定化した復習日設定係数を含んだ 算定式を用い、群内の個別の記憶対象の編入組替えも容易にしている。その算定式の復習日設定係数を1以上1未満の自由値でもよいが、初期学習と復習日がマチマチにならないよう、出来れば整数日程で処理するものとすればより簡易化する。

3

[0005]

【課題を解決するための手段】記憶対象を初めに画流に 表示し、これを分類して日程に割当てて収納者地をあた えるが、その際選別は個々に背番号を与えず群番号を与 え簡易化する。その日の対象を記憶学者すると同時に実 行月日を表示し次回の復習日を定めると自然復習列を与 えることになる。配憶学習支行日には、まず復習対象か ら開始し、記憶の程度に応じて次回復習予定日を決定す る。それには記憶程度をABC分類し、相応の選択子と して設定した復習日設定係数abc・・kにより算定し た予定復習日を記憶対象規定位置に上書きして保存す る。そのア定役署日列は前回の記憶学習日から当日の復 習学習日までの日数から記憶保持可能の日数を想定する ととになるが、abc··kはその復習予定日算定のた めの係数として予め定めておけば使利である。従って初 期においては学習阿隔が基本となる。週間日程なら1週 間に基本数字1を与える。当人の記憶能力と対象の難易 度その他主母記憶の影響等複雑な要素もあるが、通常初 期は記憶程度Aでa=1として復習日即ち第2列目は次 の初期記憶対象学習口にマッチさせる。対象群は 1 括し て併番号を与えた上番地に必要要素を与えて収納してお くのを原則とし、個々の場合の番地はそれ以降学習程度 に応じて分岐することになるのが理想ではあるが、整理 上群の何れかに細入する方が便利である。即ちa=1b = 2 あるいは学習間隔が偶数の場合は復習のみの日とし てならb=1.5でもよいが、何れにしろ係数は予め固 定しておくものとする。その際Kとして都度字習者が設 定する日由係数として残してもよい。当然その都度記憶 対象の所属群組替えの必要はある筈だが、傾ね学習程度 がよければ元の組に所属し、その他は新しい組を作る代 わりに以降のグループの番号に紹入することで簡易化で きる。即ち第1阿田復習で記憶程度が悪い場合翌日の記 **並対象に結入してもよいが、それ以降の任意の日程で生** じた場合はその処置では以降初期と同じ頻度が繰り返さ れるととになって不合理で、それ相応の係数を与える代 わりにx + α(または ·· α)等に結入する。何れにしろ 各列は前回列の学習日よりの日数に予定日設定係数を採 じて、次回復立日を予定することになる。

[0006]

【作用】即ち記憶対象の個々に表示例として背番号付記 憶対象または所属群番号・次回学習予定目側・今回記位 50 または復習記憶の学習実行日閥をそれぞれ設けたうえ保存するととによって何時の時点でも整理された対象を介理的に呼び出して、記憶実行するととができ、覚えているはずが忘れており、忘れたはずが覚えているという様り返しが自信をなくする原因となって学習を放棄する混乱を来している現状を可能の限り遊け得たものである。 【0007】

【実施例】複数の記憶対象の場合記憶装置に記憶させた 学習対象を各学習項目よりなる群番号1--nの群化分 類し、学習日を第1回から第1回までに割り当てて、学 習日ととに順次表示もしくは音声出力して学習していく について、通常は第2日目に第1日目の復習をするが、 その役は例えば r = 2 の等比級数で行ったとすれば図 1 のようになり、とれを終理して図2とすれば第1列R [0] は新しい記憶対象、第2列目 R[1]は1回目 の復習対象第3列目R [2] は2回日の復習対象・・・ と順次空頓されて群科号n まて同じ頻度で復省出来で 頗る合理的である。ところがこれを実行するには適正な カー・ド分類とその整理箱、仮に音声川力も行うとすれ ば、短編化出来る装置がなければならないし、それらの 取扱には相当な混乱が伴うと共に学習程度の判定を含め て粗脅えの必要が生じ、例えば群番号1のグループ内の 記憶対象の内、字智程度の低いもの、即ち記憶されてい ないものを併費号2のグループに編入する必要性がしば しば有る。また学習計画日についても、同一間隔日程で 行うととにすればより単純になるがその場合例えば毎日 学習を基本としたとしても、日祭日もあり、その他の環 境に支配されることもあって実行できないケースも多 く、更に記憶対象の雖易、記憶正要事情の影響等さまざ まの要素がからみ、1 律に処理できない場合が多い。従 って本発明は上述の基本方針の処理と共に自由性のある ものとして、処理方法を考えておく必要がある。いま仮 に12345のグループの記憶対象が1周間毎に学習さ れたとすると、図3のようになる。即ち上記と同様第1 列戸筆2列目と順次初期記憶第1回回の復習、第2回日 の復習と整理されることになるが、その間の復習周期は 記憶対象の語条件によって学習頻度を自由に選択する場 合があってよい筈で、しかもぞのグルー・ブ内の一部が分 離する必要もしばしばある筈である。即ち要素としては 各列を設定する化ついて、前回からの記憶保持日数に対 して次回学常日程を割り出すための復習子定口係数の選 択をまず定めなければならないが、それは要するに各列 囮の記憶対象の日数設定の係数となる。即ちこの例の場 合学習者は、等間隔日程単位を7日とし初期記憶から第 2回目復習列までは同一の学習予定係数1を選択してい るが、第3回日復習R[3]は2を採用している。その 間にグループから外れるものはその都度何回目のどの係 数のものに組入するか、言い替えると第何列のどのグル ープに入れるかが大切であるが、単純化するためしだけ 背骨号を加算して次回のグループに編入する等で事足り

(4)

特期2000-19943

6

* 即ちx (所属群番号) P (学習日程間隔) S' (学習該

行日)S(学習失行日)R(所展列)

当月日)X+及び- (記憶対象表・裏)Z(前回学習夹

VABC (学習程度判定) H (保持日数) Kabe…k

日) 等を定めれば結果的に表示に必須なのはXxS'

ープより外れた場合個々の背番号は例えば1-1とし、

Cれを保存してもよいが、単作化するため迎常Xをx+

ものの出力サイン、Y1:は後習学習として収納サイン

1 等他のグループに編入する。なおY0:は初期記憶の

SZY R[]でこれをを表示する。各記憶対象のグル

and K(復習予定日設定係数)Y(復習設定該当

ている。従ってパソコンで自動選択させる子順を示すと OPEN:初日に予め解分け分類された記憶対象を入力する。記憶学習する。とれのグループとしての学習予定 日間隔単位Pを定める。毎日ならPを1とし、週間日程ならPを7とする。前者なら取り合えず翌日を復四日後者なら1 逆回後で何れもa=1の係数を指定するが、後者で途上何曜日か例えば3日後に復四のみを行うとすれば3/7-0、43=bとして登録して置く事もできる。何れにしても保持日数日から算定するに付いての復智予定日設定係数a・b・・を週んで次段に復習列を設けるがとの例では親度係数a=1として第3列目も同じで第4列目はb-2としている。

5

(1) 学習初期手順

イ)学習準備 OPEN:

P: 日程開隔

X+:X-:記憶対象をグループ分けして、xの振り割りを1折行っておいてもよいしあるいは1-x-nの那度記

として例示すると

佐対象を入力(音声及び画面)する S':学習予定日 S:学習実行口日

K: 復習日予定係数a= b= c=

この対象の場合の各列のKの選択

ロ) 学習予順

- **② Y0 (新規学習サイン)**:
- ② S':年月日入力 X+:X-:記憶対象表裏入力x:グループ番号
- ③ 学習後V:ABC判定しそれぞれabc・・入力を 省略 A(寛えたの判定もとのxk収納 その他はx+ 1にいれかえ

S: RO: 白勁入力

Ø END

(11) その後の復習手順(学習2日日以降手順)

- イ) 復習手順(第2回日以降)
- **の Y1 (復習サイン):**

の X+:X-: xのグループ番号とともにその日の 復智予定日のXの出力それぞれで学習程度ABCに応じてもAb:もとのxに収納

A a : x - 1

Bxbc・・kの選択で(x+or-a)

(即ち予め定めたルール例えばBaにおいてx+1に収納)

じ:abc・k その他 Kの送択

ØEND

(該当箇所に自動収納)

- 口)計画学習日に学習出来なかった場合
- ① Y (復雲サイン):
- ② x:計画されたその口生での役割グルー・シ対象が 表示される。

© ABC分類する

B: C:(前と同じ)

の Υο: 前記と回じ

[0008]

【発明の効果】すべての記憶対象を完全記憶するまでの配例を十分にできるようパソコンの保存能力と、保存日数計算能力とそれの月日への交換能力をフルに活かして、母記でのカード化の手数、保存手数、超替え手数を解消し、語学会話練習のように音声の伴うものについては従来の方法では不可能に近かった。個人の能力によってまた記憶対象によって遠ざける頻度を都度替えることも常数化することも都度定めることも可能で、最終の永久記憶期日も随時変更可能である。従って教育界を主体としてあらゆる記憶必須業種、また時制記憶と言うべき不特定多数にたいする宣伝活動の計画化にも活用できる。

(00001

【図面の簡単な説明】

【図1】原理を示す初期幾個表

【図2】 整朝実行するための変形表

【図3】週間に1回の頻度で学習を行った場合の交施例の整頓表

40 【図4】表示両面を示す図

[0010]

【符号の説明】

x グループ番号(背番号)P 学習日程問隔 S'

学習該当月日

X+をよび・ 配位対象表典 x グループ計号 Z 前 同学習実行日 S 学習美行口 R 所属列 V-AB C- 学習程度判定 H 保持日数 K (ABC…k) 復習予定日設定 係数 Y 復習設定該当日

YO: 新規学習出力サイン

50 Y1: 復習出/サイン

2022

(6)

特開2000 19943

[网4]

A T ; 2 1 BOOK

IP 2000-19943 A5 2005.70.20

【公報種別】特許法第17条の2の規定による補正の掲載 【部門区分】第6部門第2区分 【発行日】平成17年10月20日(2005,10,20)

【公開番号】特開2000-19943(P2000-19943A) 【公開日】下成12年1月21日(2000.1.21) 【出願番号】特顯平10-220994

【国際特許分類第7版】

G 0 9 B 5/06

[FI]

G 0 9 B 5/06

【手能補正書】

【提出日】平成17年6月24日(2005.6.24)

【手続補正1】

【補正対象書類名】明細書

【補正対象項目名】特許請求の範囲

【補正方法】変更

』【補正の内容】

【特許請求の範囲】

【請求項1】

学習対象及び学習対象に対する学習程度の判定結果を入りする入力装置と、<u>前記学習対象</u> 及び判定結果を格納する記憶装置<u>と、前記学習対象を個々に</u><u>或いは学習対象を学習項目 毎に分類した学習研無に画面又は印刷により表示又は音声出力する出力装置と、学習年次 に合わせて学習月日間の経過日数を加減乗除して該当する月日に逆置換する<u>適算装置と、</u> から構成された学習文援装置であって、</u>

学習日を定める学習日設定手段と、

前記学習目に学習する1学習対象以上の学習対象群の学習程度判定を学習対象<u>毎</u>に入力<u>す</u> る学<u>習程度判定入力手段と、</u>

<u>前記学習程度のレベルに合わせて復習する次回学習予定日までの期間を設定する次回学習</u> 予定日設定手段と、

以降の学習予定目に、その学習日の学習対象群を<u>知らせるために</u>川力する出<u>力手段と、</u> を具<u>備した</u>ことを特徴とする学習支援装置。

【請永項2】

前記次回学習予定日設定手段は、学習程度のレベルに合わせて設定された任意の次回学習予定日設定係数を選択し、これを前回の学習日からの経過日数に乗じて次回学習予定日を 演算算定するようにしたものであることを特徴とする請求項1に記載の学習支援<u>装置</u>。 【請求項3】

前記学習群xの第k回学習予定日列R[k]xに基く学習支援方法であって、

学習程度のレベルに合わせて設定された任意の次回学習予定日列設定係数を選択し、これ を前回の学習日からの経過日数に乗じて次回学習予定日列を演算算定する学習予定日列確 定ステップと、

前記R [k] xの個々の学習対象の学習程度にレベル差が生じた場合に、当該レベル差の生じた学習対象に新規符番が $x\pm\alpha$ 及び新規学習予定日列R $[k\pm\beta]$ x $\pm\alpha$ を生成するステップと、

から構成されたことを特徴とする学習支援方法。

【手統補正2】

【袖正対象杳類名】叨細音

【袖正対象項目名】 0 0 0 7

【補正方法】変更

(2)

JP 2000 19943 A5 2005.10.20

【補正の内容】 【0007】 【実施例】

複数の記憶対象を辞番号1・2・3・・・nの群に分類し、学習日を第1回から第n回までに割り当てて、そのそれぞれの記憶対象を、X+・X-・Xs即ち表・音声の形でに割り当てて、そのそれぞれの記憶対象を、X+・X-・Xs即ち表・音声の形で記憶対象の内容を打ち込んで収納する。学習開始からの日程を定めるについてはまず日程に対象の内容を打ち込んで収納する。学習日毎に学習することになる。いて日本で、学習日毎に順次表示若しくは音声出力して学習していて、通常は第2日目に第1日日の復習をするが、その後は例えば公比=2の年に付いて、通常は第2日日に第1日日の復習をするが、その後は例えば公比=2の行なったとすれば図1のようになり、これを整理して図2とすれば第1列R[0]は新しい記憶対象、第2列目R[1]は1回目の復習対象第3列目R[2]は2回目の復動がよい記憶対象、第2列目R[1]は1回目の復習対象第3列目R[2]は2回目のであるといこのでは、短駆済を化できる装置がなければならないし、それらの取扱には相当な混乱が伴すれば、短駆録音化できる装置がなければならないし、それらの取扱には相当な混乱が伴うと共に学習程度の判定を行なうと組替えの必要が生じ、例えば群番号1のグループの記憶対象のうち、学習程度の低いものB、或いは記憶されていないものC、V-BまたはCを第3列目R[3]で

発見された場合、群番号5のグループに編入すると同じ頻度即ち4日後の4月12日に再 **度復習されることになる。また学習計画日についても、同一間隔日程で行なうことにすれ** ばより単純になるがその場合例えば毎日学習を基本にしたとしても、支険の日もあり、実 行できないケースも多く、更に記憶対象の難易、記憶重畳事情の影響等様々の要素がから み、一律に処理できない場合が多い。従って本発明は上述の基本方針の処理と共に自由性 のあるものとして、処理方法を考えておく必要がある。ここにコンピュータ活用の意義が あるが、今仮に12345のグループの記憶対象が1週間毎に学習されたとすると、図3 のようになる。即ち上記と向様第1列目第2列目と順次初期記憶第1回目の復習、第2回 目の復習と整理されることになるが、その間の復習周期は記憶対象の諸条件によって学習 頻度を自由に選択する場合があってよいはずであって、しかもそのグループ内の一部がV 判定によって分離する必要もしばしばあり、即ち要素としては各列を設定するについて、 前同からの記憶保持日数に対して次回学習日程を割り出すための復習予定日保数の選択を まず定めなければならないが、それは要するに前列からの各列のずらしの日数設定となり 、そのための係数の選択となる。即ちこの例の場合学習者は、等間隔日程単位Pは7日と し初期記憶から第2回目復習列までは同一の学習予定係数K (a - 1) を選択し第3回目 復習R[3]はK(b=2)を採用している。その間にグループから外れるものはその都 度何凹目のどの係数のものに編入するか、言い換えると第何列のどのグループに入れるか が大切であるが、前々回から前回まではV-Aなのだからその記憶保持日数Hに改めて復 胃予定係数Kを乗じてその該当日の記憶対象群番号に入れ替えるのが至当であるがその手 順を単純化して既存の列即ち1段上位の列のその日の近辺の群番号に編入する等で事足り ている。今このことは仮にR[1]においての現象の場合はx+1の変更で処置できるが 、R[2]以降R[r]においてはその上位の列R[r-1]のその日の辞番号に切り答 えれば同じ頻度で再度復習できることになる。即ちRの設定には図1については

- $R[0] \tau dP = 1, H = 0$
- R [1] では直後の学習日を当て
- $R[2] \tau dP = 1, H = 1 \times K(b-2) = 2$
- R [3] $\tau HP = 1$, $H = 2 \times K$ (b = 2) 4

R [n]までの列を形成すると共に、各列に所属する群番号を各日程に組み入れておきパンコンで児童にするか手動で入力させるか、何れにしろ個々の記憶対象にその所属湃番号xの背番号としてR [r]を表示するようにすれば手動で群番号を入れ替える場合に便利

(3)

JP 2000-19943 A3 2005.10.20

である。更に記憶対象の個々は、X+・X-・Xsとして順次収納し何れの順序からでも 呼び出せるようにする。即ち日付でその日の学習対象を呼び出して学習し、その記憶程度 の判定V-ABCを口己評価した FAは概ねそのままBCはそれぞれの上位の列番号R[r-1] R [r-n] のそのHの辞畓号xか更に $x\pm \alpha$ を選択して自動又は手動でそれに 編入替えすることで再度復習の機会を与えることにする。再度図3で手順を示すと

- (1) OPEN: 学習準備
- 1) 初日に子め群分け分類された記憶対象を X + ・ X ・ X s の順に入力する。
- 2) 学習開始 H 程を定めR [0] について学習予定 門隔単位 P を定め群分けした群番号を 日程に振り分けする。週間日程故Pー7となる。
- 3) 学習予定日程R [1] について1週間後即ち直後の学習日とするが、途上3日目に復 習のみ登録すれば、3/7=0.43=bとして登録しておくこともできるが学習日と復 習IIとを一致させるために整数で簡素化すると b = 2 c = 3 · · · にすればよい。何れに しても保持日数Hから算定し、復習予定日設定保数a·b··・を選んで外段に復習列を 設ける。この列では復習予定係数K(a=1)として第3列日でも同じで第4列日R [3] は b = 2 としている。即ち x (所属群番号) P (学習日程間隔) X + 及び – X s (記憶 対象表・裏及び音声)R(所属列)V-ABC(学習程度判定)H(保持日数)等を定め れば結果的に表示に必要なのはx及びRでこれを各記憶対象の背番号とする。
- (2) STUDY: 学習
- イ) その日の年月日よりR [0] をX+・X-・Xsの任意の順序で呼び出して記憶学習 する。
- U) そのIIの復習対象を順次X+・X-・Xsの定めた順序で呼び出して復習しV-AB C判定しそれぞれx±αで群番号を組み替えるについて、概ねA判定の場合はそのままに LB判定の場合は個々の背番号よりR [r-1] のそのHの群番号xに編入替えするのを 標準とし、C判定の場合R[r-2]の同じくその日の群番号に組み替えれば、再度同・・ 頻度か更にその前の保持日**数からの繰り返しで復習できることになるが、なおその**xに白 由性を持たせて±αとしてもよい。

```
(S) END
```

【手統補正3】

【補正対象音類名】明細告

【補正対象項目名】 0 0 0 9

【補正方法】変更

【補正の内容】

[0009]

【図面の簡単な説明】

- 【図1】原理を示す初期整頓表
- 【図2】整頓実行するための変換表
- 【図3】週間に1回の頻度で学習を行なった場合の実施例の整頓表

【手続補正4】

【補正対象告類名】明細書

【袖正対象項目名】 0 0 1 0

【補正方法】変更

【補正の内容】

[0010]

【符号の説明】

グループ番号 x

学習日程間隔

X+及びー 記憶対象表表

Хв 音声出力

R [0] 初期学習列

 $R[r \cdot n]$ 第 r 回から第 n 回復習列 (4)

JP 2000-19943 A5 2005.10.20

V-ABC 学習程度判定 H 記憶保持日数 K (abc··k) 復習予定日設定係数 【手続補正5】 【補正対象曹類名】図面 【補正対象項目名】図4 【補正方法】削除 【補正の内容】

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

| • |
|---|
| ☐ BLACK BORDERS |
| \square image cut off at top, bottom or sides |
| ☐ FADED TEXT OR DRAWING |
| BLURRED OR ILLEGIBLE TEXT OR DRAWING |
| ☐ SKEWED/SLANTED IMAGES |
| ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS |
| ☐ GRAY SCALE DOCUMENTS |
| ☐ LINES OR MARKS ON ORIGINAL DOCUMENT |
| ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY |
| |

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: _____

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.